

PJ-663

A4 Thermal Mobile Printer



Catalogue Spec

- Mobile mono printing up to A4
- Up to 6ppm printing speed
- Durable thermal print technology
- USB and IRDA interface
- 300x300dpi
- Small and lightweight
- 1 Year RTB Warranty

What's in the Box?

- CD-ROM (Drivers)
- USB Cable
- Manual
- Cleaning Sheet

MODEL	PJ-663
HARDWARE	
HOUSING	
Dimensions	255(W) x 55(D) x 30(H) mm 10.04 x 2.17 x 1.18 in.
Weights	Approximately 473g (excluding Battery, paper) 1.043lb.
Colouring	Black and blue

CONTROL		
Paper feeding	Pulse feeding control by Stepping motor	
Key board	Power Button and Feed Button	
LED	POWER Indicator Light	Green, Orange, Red
	DATA Indicator Light	Green, Orange, Red
	Status Indicator Light	Green, Orange, Red
	Bluetooth Indicator Light	Blue

ENGINE	
Printing method	Direct thermal
Print Speed	Average 9.4sec./page or 31.6mm/second.(under Brother standard environment *1)
Resolution	300 x 300 dpi
Printable area	Set your computer

Electronics		
Power supply	Battery	Rechargeable Battery (Ni-MH), 14.4V(Optional) Rechargeable Battery (Li-ion), 11.1V(Optional)
	Adapter(Adapter & Code)	AC adapter (15 V)
	Car Adapter	2 types(Cigar Lighter Plug or Wire) (Option)
	Number of printable pages	Ni-MH battery: approximately 70 sheets(printing duty 1.9% and using fully charged new Ni-MH battery) Li-ion battery: approximately 300 sheets(printing duty 1.9% and using fully charged new Li-ion battery)
	Battery life (number of charge/discharge cycles)	Ni-MH battery: approximately 100 cycles Li-ion battery: approximately 300 cycles
Interface	USB	USB Ver.2.0 (Full Speed) (A - mini-B=Printer, Peripheral)

	IrDA	Ver.1.2 (IrCOMM and IrOBEX)
	Bluetooth	Ver.2.0+EDR Class2 , SPP and BIP supported
Printer command/mode		3 command modes(ESC/P emulation mode/ native command mode)
Character Generation(ESC/P)		
	Font size	10 cpi, 12 cpi, 15 cpi and Proportional sizes.
	Font face	Serif and Sans Serif
	Barcode	No
P-touch template		Yes
Other Feature	template or image saving	Yes
	User memory size	5,888KB

SOFTWARE		
PC SOFTWARE		
Printer driver	Page size	A4 (210 x 297 mm / 8.27" x 11.69"), Letter(216 x 279mm / 8.5" x 11"), Legal(216 x 356 mm / 8.5" x 14")
	Custom size	min. 105 mm x 25.4 mm / 4.13" x 1.00" ~ max. 216 mm x 8.23 m / 8.5" x 18 feet
	Half-tone	N/A
	Operating environment	Windows XP / Vista / 7 (USB, Bluetooth)
	Others	Mac driver
Editing software		Yes P-touch Editor
	Version	5
	Operating environment	Windows XP, Vista and 7

OTHERS		
ENERGY-SAVING		
Auto power-off		Yes
Auto power-off settings		7 settings(0, 10 = default, 20, 30, 40, 50, 60 minutes) After this time no signal, power is off automatically.
Sleep mode		N/A
ENVIRONMENTAL		
In Operation:	Temperature	+5~+35 degree C
	Humidity	30 ~ 80% (No condensation)
In Storage:	Temperature	-15~+50 degree C
	Humidity	30 ~ 85% (No condensation)