



B300 FULLY RUGGED NOTEBOOK

- 8th Generation Intel® Core™ i7 / i5
 vPro™ Processor
- 13.3" Getac QuadraClear® Sunlight Readable Display up to1400 Nits
- Enhanced Enterprise Security with optional Intel vPro, Windows Disk Encryption, TPM 2.0 and many more multi-factor authentication options
- Extreme ruggedness with 4ft operating drop rating, vibration and sand resistant and operating temperatures of -29°C ~ 60°C (-20°F ~ 140°F)














Specifications

Operating System

Windows 10 Pro

Mobile Computing Platform

Platform Options:

Intel® Core™ 17 Technology Intel® Core™ 17-8550U Processor 1.8GHz Max. 4.0GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache

Intel® Core™ i7 vPro™ Technology Intel® Core™ i7-8650U Processor 1.9GHz Max. 4.2GHz with Intel® Turbo Boost Technology - 8MB Intel® Smart Cache

Intel® Core™ i5 Technology Intel® Core™ i5-8250U Processor 1.6GHz Max. 3.4GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache

Intel® Core™ i5 vPro™ Technology Intel® Core™ i5-8350U Processor 1.7GHz Max. 3.6GHz with Intel® Turbo Boost Technology 6MB Intel® Smart Cache

VGA Controller

Intel® UHD Graphics 620i

Display

13.3" TFT LCD XGA (1024 x 768) 700 nits display Optional 1400 nits QuadraClear® sunlight readable display with touchscreen

Storage & Memory

8GB DDR4 expandable to 32GB SATA SSD 256GB; Optional SATA SSD 512GB / 1TB

LED backlit membrane keyboard Optional LED backlit rubber keyboard

Pointing Device

Touchscreen

- Optional pressure sensitive touchscreen
- Glide touchpad with scroll bar

Expansion Slot

PCMCIA Type II x 1 + ExpressCard/54 x 1 SD card reader x 1

Multimedia Bay

Optional DVD super multi drive Optional 2nd battery
Optional 2nd storage: SATA SSD 256GB / 512GB / 1TB

I/O Interface

Serial port (9-pin; D-sub) x 2 External VGA (15-pin; D-sub) x 1 Microphone (Mini-jack) x 1 Audio output (Mini-jack) x 1 DC in Jack x 1 USB 3.0 x 3 LAN (RJ45) x 1 HDMl x 1 ÉExternal GPS antenna port (only with optional GPS) x 1 Docking connector x 1
Optional RF antenna pass-through for GPS and WWAN
Optional USB 3.1 Gen 1 Type C X 1^{vi}

Communication Interface

10/100/1000 base-T Ethernet Intel® Dual Band Wireless-AC 8265, 802.11ac Bluetooth® (v4.2)ⁱⁱ
Optional dedicated GPS
Optional 4G LTE mobile broadband

Security Feature

Optional Intel® vPro™ Technology Optional Fingerprint scanner Optional Smart Card reader (only with DVD Super Multi Drive) Kensington lock

AC adapter (90W, 100-240VAC, 50 / 60Hz) Li-lon smart battery (10.8V, 8700mAh) Optional Multimedia Bay 2nd Li-lon smart battery (10.8V, 8700mAh)

Dimension (W x D x H) & Weight 303.5 x 263 x 60 mm (11.9" x 10.35" x 2.36"), Customize configuration (please contact local sales for availability): Approx. 3.3 kg (7.3 lbs)ⁱⁱ Standard configuration: Approx. 3.5 kg (7.7 lbs)ⁱⁱ Fully configured: Approx.4.3 kg (9.5 lbs)ⁱⁱ

Rugged Feature

MIL-STD-810G certified and IP65 certified MIL-STD-461G certified^{IV}
Optional ANSI/ISA 12.12.01
Full magnesium alloy case
Shock-protected removable HDD Vibration & drop resistant Optional salt fog compliance Optional night vision

Environmental Specification

Temperature^v:
- Operating: -29°C to 60°C / -20°F to 140°F

Software

Getac Utility Adobe® Reader® Optional Absolute DDS® Persistence

Office dock

Accessories Carry bag
Multi-Bay Charger (Dual Bay)
Multi-Bay Charger (Eight Bay)
Vehicle adapter (90W, 11-16VDC and 22-32VDC)
MIL-STD-461 certified AC adapter (90W, 100-240VAC)
Multimedia bay 2nd battery (10.8V, 8700mAh)
Multimedia bay 2nd HDD Protection film Main battery (10.8V, 8700mAh) AC adapter (90W, 100-240VAC) Vehicle dock

Bumper-to-Bumper warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment

That is why Getac has introduced accidental damage as standard under our new Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

5 years Bumper-to-Bumper

- Share memory size may vary by different operating system and RAM size.
 Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area. Weight and dimensions vary from
- configurations and optional accessories
- confirmed by Getac.
 MIL-STD-461 90W AC adapter sold separately. V Tested by a national independent third party test lab following MIL-STD-810G.
 vi Mutually exclusive with HDMI I/O Interface.

Fully Rugged **Notebook**



Docking Solutions

	Vehicle Dock	Office Dock
Serial Port	2	2
External VGA	1	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	USB x 4	USB x 4
LAN	1	1
HDMI		1
RF Antenna Connector	(GPS, WWAN, WLAN) x GPS, WWAN (optional)	

Getac

GETAC TECHNOLOGY CORPORATION

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 11568, Taiwan, R.O.C. Tel: +886 2 2785 7888



globalmarketing@getac.com | www.getac.com

Copyright @ 2018 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. Information provided herewith is for reference only, available specification shall be subjected to quotation by request. V01M12Y18WW